

# **Utah Weekly Pertussis Update**

2018 data, through MMWR week ending May 5, 2018 (MMWR week 18)


Data presented in this report are based on current data available and will be subject to change weekly.

#### **Data Summary**

Total number of cases reported, 2018 year-to-date		Utah Incidence rate, 2018 year-to-date (YTD) per 100,000	
(YTD)	140	person-years	13.3
Total number of cases reported 2017	439	Utah Incidence rate, 2017 per 100,000 person-years	14.6
Number of cases reported in past week	1	National Incidence rate*, 2016 per 100,000 person-years.	4.7
Total number of cases reported, through same time			
period 2017	190	2018 Hospitalizations	0
	<1		
Age groups with the highest rates	15 - 24	2018 Cases in infants <1 year	7

<sup>\*</sup>National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

#### Number of cases reported by week



<sup>\*</sup>Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

#### 2018 Year-to-Date Incidence Rates, By Age

	2018	2016	
Age (years)	Cases	population	Rate*
<1	7	51,162	39.6
1-4	9	202,288	12.9
5-14	37	520,247	20.6
15-24	46	491,359	27.1
25-34	6	448,845	3.9
35-44	14	410,933	9.9
45-54	10	314,060	9.2
55-64	1	291,159	1.0
65+	10	321,164	9.0
Unknown	0	-	-
Total	140	3,051,217	13.3

<sup>\*</sup> Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

### School Age Incidence Rates, 2018 Year-to-Date

2010 1041	Age		2016	
Grade	(years)	2018 Cases	Population	Rate*
Preschool	3-4	4	100,804	11.5
Kindergarten	5	2	50,541	11.5
1	6	3	52,444	16.6
2	7	2	52,797	11.0
3	8	4	53,837	21.5
4	9	2	53,515	10.8
5	10	7	52,433	38.7
6	11	2	52,420	11.1
7	12	6	51,616	33.7
8	13	5	51,136	28.3
9	14	4	49,508	23.4
10	15	9	49,763	52.4
11	16	20	49,882	116.1
12	17	6	48,431	35.9

<sup>\*</sup> Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

### Utah Case Counts of Pertussis, 2013-2018\* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

<sup>\* 2018</sup> data includes pertussis cases reported year to date. 2013-2017 data reflects cases reported during the entire calendar year for each year.



# Incidence of Pertussis by Local Health Department, 2018 YTD

Local Health Department	2018 Cases	Rate*
Bear River	15	24.4
Central Utah	1	3.7
Davis County	17	14.4
Salt Lake County	66	17.0
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	3	3.8
Summit County	2	14.4
Tooele County	1	4.5
TriCounty	0	0.0
Utah County	17	8.3
Wasatch County	4	38.0
Weber-Morgan	14	15.7

<sup>\*</sup> Rate is calculated per 100,000 person-years using 2016 Utah population estimates.

